

Analysis Results (SOIL)

Customer	██████████	Distributor	MG TRADING
Sample Ref	2 BAY	Date Received	22/03/2019
Sample No	B108571A / SCF3340		
Crop	MAIZE		

Analysis	Result	Guideline	Interpretation
pH [1:5 H ₂ O]	7.4	5.6 - 8.1	Normal
pH [1:5 CaCl ₂]	6.8	5.0 - 7.5	Normal
Organic Matter (%)	8.7	3.0 - 8.0	High
CEC (meq/100g)	17.95	12.00 - 40.00	Normal
EC [1:5 H ₂ O] (dS/m)	0.25	0.90 - 3.00	Low
NO ₃ -N (ppm)	25.0	15.0 - 70.0	Normal
NH ₄ -N (ppm)	3.0		
Phosphorus [Olsen] (ppm)	121	14 - 70	High
Potassium[Am. Acet.] (meq/100g)	1.21	0.50 - 1.20	High
Calcium[Am. Acet.] (meq/100g)	11.31	5.00 - 15.00	Normal
Magnesium[Am. Acet.] (meq/100g)	4.74	0.80 - 4.50	High
Sulphur [MCP] (ppm)	41	8 - 20	High
Boron[CaCl ₂] (ppm)	1.6	1.0 - 5.0	Normal
Copper [DTPA] (ppm)	2.1	2.5 - 20.0	Slightly Low
Iron [DTPA] (ppm)	83	5 - 120	Normal
Manganese [DTPA] (ppm)	7.2	5.0 - 60.0	Normal
Zinc [DTPA] (ppm)	11.2	5.0 - 15.0	Normal
Sodium[Am. Acet.] (meq/100g)	0.7	0.3 - 3.0	Normal
Aluminium[KCl] (meq/100g)	0.03	1.00 - 2.50	Very Low
Chloride (ppm)	105	200 - 1100	Slightly Low
Ca base saturation (%)	63.0	50.0 - 75.0	Normal
K base saturation (%)	6.7	2.0 - 5.0	High
Mg base saturation (%)	26.4	5.0 - 15.0	High
Na base saturation (%)	3.7	1.0 - 2.0	High
Al base saturation (%)	0.20		
Ca:Mg Ratio	2.4	2.5 - 3.0	Slightly Low
Texture	SANDY LOAM		



Phosyn Analytical, 1/60 Junction Road,
Andrews, Queensland 4220, Australia
Tel: +61 7 5568 8700
Fax: +61 7 5522 0720
Email: phosynanalytical@phosyn.com.au

Analysis Results (SOIL)

Customer [REDACTED] **Distributor** MG TRADING
Sample Ref 2 BAY **Date Received** 22/03/2019
Sample No B108571A / SCF3340
Crop MAIZE

Analysis	Result	Guideline	Interpretation
Colour	DARK GREY		
Aluminium (ppm)	3.0		
Sodium (ppm)	153.0		
Calcium (ppm)	2261.0		
Magnesium (ppm)	569.0		
Potassium (ppm)	471.0		
Lime Requirement (t/ha)	< 0.50		

Additional Comments

Aluminium (Al): 1 meq/100g equals 90 ppm; Potassium (K): 1 meq/100g equals 390 ppm; Sodium (Na): 1 meq/100g equals 230 ppm; Magnesium (Mg): 1 meq/100g equals 120ppm; Calcium (Ca): 1 meq/100g equals 200ppm; Organic Matter(%) equals 1.72 x Organic Carbon(%); You should consult your local agronomist/consultant before deciding upon any course of action based on this report. Soil analyses performed and reported on samples dried at 40°C and sieved to <2mm; Plant tissue analyses performed and reported on samples dried at 70°C and ground (NB/ Fruit, Fruitlet & Tuber reported on fresh weight basis);

Please Note

Whilst every care is taken to ensure that the Results from Analysis are as accurate as possible, it is important to note that the analysis relates to the sample received by the laboratory, and is representative only of that sample. No warranty is given by the laboratory that the Results from Analysis relates to any part of a field or growing area not covered by the sample received. It is important to ensure that any soil, leaf, silage or fruitlet sample sent for analysis is representative of the area requiring analysis and that samples are obtained in accordance with established sampling techniques. A leaflet containing instructions on how to take soil, leaf, herbage, silage and fruit samples for analysis is available from the laboratory on request.

This report has been generated by Yara's Megalab™ software.

This laboratory has been awarded a Certificate of Proficiency for specific soil and plant tissue analyses by the Australasian Soil and Plant Analysis Council (ASPAC). Tests for which proficiency has been demonstrated are highlighted in this report with an asterisk.



CERTIFIED

Date Printed : 27/03/2019

Analysis Results (SOIL)

Customer [REDACTED] **Distributor** MG TRADING
Sample Ref 1 BAY **Date Received** 22/03/2019
Sample No B108571B / SCF3341
Crop MAIZE

Analysis	Result	Guideline	Interpretation
pH [1:5 H2O]	6.8	5.6 - 8.1	Normal
pH [1:5 CaCl2]	6.3	5.0 - 7.5	Normal
Organic Matter (%)	7.5	3.0 - 8.0	Normal
CEC (meq/100g)	16.74	12.00 - 40.00	Normal
EC [1:5 H2O] (dS/m)	0.40	0.90 - 3.00	Low
NO3-N (ppm)	66.0	15.0 - 70.0	Normal
NH4-N (ppm)	3.0		
Phosphorus [Olsen] (ppm)	115	14 - 70	High
Potassium[Am. Acet.] (meq/100g)	1.35	0.50 - 1.20	High
Calcium[Am. Acet.] (meq/100g)	10.46	5.00 - 15.00	Normal
Magnesium[Am. Acet.] (meq/100g)	4.39	0.80 - 4.50	Normal
Sulphur [MCP] (ppm)	232	8 - 20	High
Boron[CaCl2] (ppm)	1.4	1.0 - 5.0	Normal
Copper [DTPA] (ppm)	2.0	2.5 - 20.0	Slightly Low
Iron [DTPA] (ppm)	93	5 - 120	Normal
Manganese [DTPA] (ppm)	11.0	5.0 - 60.0	Normal
Zinc [DTPA] (ppm)	10.5	5.0 - 15.0	Normal
Sodium[Am. Acet.] (meq/100g)	0.6	0.3 - 3.0	Normal
Aluminium[KCl] (meq/100g)	< 0.02	1.00 - 2.50	Very Low
Chloride (ppm)	93	200 - 1100	Slightly Low
Ca base saturation (%)	62.5	50.0 - 75.0	Normal
K base saturation (%)	8.0	2.0 - 5.0	High
Mg base saturation (%)	26.2	5.0 - 15.0	High
Na base saturation (%)	3.3	1.0 - 2.0	High
Al base saturation (%)	0.00		
Ca:Mg Ratio	2.4	2.5 - 3.0	Slightly Low
Texture	SANDY LOAM		

Analysis Results (SOIL)

Customer [REDACTED] **Distributor** MG TRADING
Sample Ref 1 BAY **Date Received** 22/03/2019
Sample No B108571B / SCF3341
Crop MAIZE

Analysis	Result	Guideline	Interpretation
Colour	DARK GREY		
Aluminium (ppm)	< 2.0		
Sodium (ppm)	126.0		
Calcium (ppm)	2092.0		
Magnesium (ppm)	526.0		
Potassium (ppm)	525.0		
Lime Requirement (t/ha)	< 0.50		

Additional Comments

Aluminium (Al): 1 meq/100g equals 90 ppm; Potassium (K): 1 meq/100g equals 390 ppm; Sodium (Na): 1 meq/100g equals 230 ppm; Magnesium (Mg): 1 meq/100g equals 120ppm; Calcium (Ca): 1 meq/100g equals 200ppm; Organic Matter(%) equals 1.72 x Organic Carbon(%); You should consult your local agronomist/consultant before deciding upon any course of action based on this report. Soil analyses performed and reported on samples dried at 40°C and sieved to <2mm; Plant tissue analyses performed and reported on samples dried at 70°C and ground (NB/ Fruit, Fruitlet & Tuber reported on fresh weight basis);

Please Note

Whilst every care is taken to ensure that the Results from Analysis are as accurate as possible, it is important to note that the analysis relates to the sample received by the laboratory, and is representative only of that sample. No warranty is given by the laboratory that the Results from Analysis relates to any part of a field or growing area not covered by the sample received. It is important to ensure that any soil, leaf, silage or fruitlet sample sent for analysis is representative of the area requiring analysis and that samples are obtained in accordance with established sampling techniques. A leaflet containing instructions on how to take soil, leaf, herbage, silage and fruit samples for analysis is available from the laboratory on request.

This report has been generated by Yara's Megalab™ software.

This laboratory has been awarded a Certificate of Proficiency for specific soil and plant tissue analyses by the Australasian Soil and Plant Analysis Council (ASPAC). Tests for which proficiency has been demonstrated are highlighted in this report with an asterisk.